Edge of Arlington Saw & Tool, Inc.

124 South Collins Arlington, TX 76010

Phone:817-461-7171 • Fax: 817-795-6651

Toll Free: 888-461-7171 Email: <u>info@eoasaw.com</u> Website: www.eoasaw.com



Hougen Accessories: Lubricant & Cutting Fluid

Thank you for shopping with us!

RotaFoam™ Cutting Fluid works on all types of metals to extend tool life and improve hole finish. Blue foamy lubricant visually assures thorough coverage.

RotaMagic™ Concentrated Cutting Fluid is for use with ferrous or non-ferrous materials. Water soluble and yields a 10:1 ratio when mixed with water. (Biodegradable & Non-Toxic)

Slick-Stik™ is softer than other stick lubricants for easy application, superior adhesion to the tool, and assures thorough coverage. Specially formulated for use with Rotabroach Cutters. (Non-Toxic)

Slick-Stik™ and RotaMagic™ are environmentally friendly and do not contain harmful ingredients as do many lubricants.

Item #	Part Descp.	Price
11746-12	Twelve 1.68 oz (48g) Slick-Stik Lubricant.	\$78.95
11747-12	Twelve cans of 17 oz. (482g) RotaFoam Lubricant (individual can part number 11747)	\$225.00
11746-24	Twenty-four 1.68 oz (48g) Slick-Stik Lubricant in Display Box	\$148.50
11745-6	Six 16 oz (454g) Slick-Stik Lubricant	\$88.50
11741-12	Twelve 1 pint (.47L) Bottles - makes 1 pint each. RotaMagic Concentrated Cutting Fluid is for use with ferrous or non-ferrous materials. Water soluable and yields a 10:1 ratio when mixed with water. (Biodegradable & Non-Toxic)	\$60.00
11742-4	Four 1 Gallon (3.8L) Bottles - makes 11 gallons (41.6L) each, 44 galllons (167.6L) total. RotaMagic Concentrated Cutting Fluid is for use with ferrous or non-ferrous materials. Water soluable and yields a 10:1 ratio when mixed with water. (Biodegradable &	\$247.50

\$315.00