

## Edge of Arlington Saw & Tool, Inc.

124 South Collins

Arlington, TX 76010

Phone: 817-461-7171 • Fax: 817-795-6651

Toll Free: 888-461-7171

Email: [info@eoasaw.com](mailto:info@eoasaw.com)

Website: [www.eoasaw.com](http://www.eoasaw.com)



### Viking Drill & Tool General Purpose 118° Point Jobber Length Black Oxide: Sets Type 240 & Type 643 Metric

Edge of Arlington offers free shipping in the United States when you choose flat rate shipping. 118° POINT - JOBBER LENGTH Type 240 & Type 643 Metric Black Oxide • Widely used in general purpose applications • Designed for a wide range of operating conditions and materials

Item #	Manufacturer	No. of Pieces	Features	Includes	Style	Price
42000 (B10)	Viking Drill & Tool	10	Widely used in general purpose applications; designed for a wide range of operating conditions & materials	Black Oxide 118 deg Point 1/16 - 5/32 by 64ths + 3/16, 7/32, 1/4	General Purpose - Jobber Length - Black Oxide	<b>\$15.78</b>
42010 (B11)	Viking Drill & Tool	11	Widely used in general purpose applications; designed for a wide range of operating conditions & materials	Black Oxide 118 deg Point 1/16 - 3/8 by 32nds	General Purpose - Jobber Length - Black Oxide	<b>\$29.49</b>
42020 (B-13)	Viking Drill & Tool	13	Widely used in general purpose applications; designed for a wide range of operating conditions & materials	Black Oxide 118 deg Point 1/16 - 1/4 by 64ths	General Purpose - Jobber Length - Black Oxide	<b>\$22.53</b>

42030 (B-15)	Viking Drill & Tool	15	Widely used in general purpose applications; designed for a wide range of operating conditions & materials	Black Oxide 118 deg Point 1/16 - 1/2 by 32nds	General Purpose - Jobber Length - Black Oxide	<b>\$61.86</b>
42040 (B-20)	Viking Drill & Tool	20	Widely used in general purpose applications; designed for a wide range of operating conditions & materials	Black Oxide 118 deg Point #61 - #80	General Purpose - Jobber Length - Black Oxide	<b>\$53.71</b>
42050 (B-21)	Viking Drill & Tool	21	Widely used in general purpose applications; designed for a wide range of operating conditions & materials	Black Oxide 118 deg Point 1/16 - 3/8" by 64ths	General Purpose - Jobber Length - Black Oxide	<b>\$50.83</b>
42060 (B-26)	Viking Drill & Tool	26	Widely used in general purpose applications; designed for a wide range of operating conditions & materials	Black Oxide 118 deg Point A-Z	General Purpose - Jobber Length - Black Oxide	<b>\$115.18</b>
42070 (B-29)	Viking Drill & Tool	29	Widely used in general purpose applications; designed for a wide range of operating conditions & materials	Black Oxide 118 deg Point 1/16 - 1/2" by 64ths	General Purpose - Jobber Length - Black Oxide	<b>\$104.21</b>
42080 (B-60)	Viking Drill & Tool	60	Widely used in general purpose applications; designed for a wide range of operating conditions & materials	Black Oxide 118 deg Point #1 - #60	General Purpose - Jobber Length - Black Oxide	<b>\$85.89</b>
43300 (B-80)	Viking Drill & Tool	80	Widely used in general purpose applications; designed for a wide range of operating conditions & materials	Black Oxide 118 deg Point #1 - #80	General Purpose - Jobber Length - Black Oxide	<b>\$</b>
43310 (B-114)	Viking Drill & Tool	114	Widely used in general purpose applications; designed for a wide range of operating conditions & materials	Black Oxide 118 deg Point 1/16 - 1/2" by 64ths, #1 - #60, 1.0mm - 13.0mm by .5mm	General Purpose - Jobber Length - Black Oxide	<b>\$287.89</b>
43440 (B-115)	Viking Drill & Tool	115	Widely used in general purpose applications; designed for a wide range of operating conditions & materials	Black Oxide 118 deg Point 1/16 - 1/2" by 64ths + A-Z, #1 - #60,	General Purpose - Jobber Length - Black Oxide	<b>\$295.10</b>
44050 (M-11)	Viking Drill & Tool	11	Widely used in general purpose applications; designed for a wide range of operating conditions & materials	Black Oxide 118 deg Point 1.0mm - 6.0 by .5mm	General Purpose - Jobber Length - Black Oxide	<b>\$18.16</b>

44180 (M-13)	Viking Drill & Tool 13	Widely used in general purpose applications; designed for a wide range of operating conditions & materials	Black Oxide 118 deg Point 1.0mm - 7.0 by .5mm	General Purpose - Jobber Length - Black Oxide	<b>\$27.26</b>
44060 (M-25)	Viking Drill & Tool 25	Widely used in general purpose applications; designed for a wide range of operating conditions & materials	Black Oxide 118 deg Point 1.0mm - 13.0 by .5mm	General Purpose - Jobber Length - Black Oxide	<b>\$96.85</b>