## Edge of Arlington Saw & Tool, Inc.

124 South Collins Arlington, TX 76010

Phone:817-461-7171 • Fax: 817-795-6651

Toll Free: 888-461-7171 Email: <u>info@eoasaw.com</u> Website: www.eoasaw.com



## Amana Tool 'Euro-Rip' Ripping Saw Blades w/Cooling Slots & Anti-Kickback Feature

Thank you for shopping with us! Designed for ripping hardwood and softwood, this exceptional blade cuts fast and smooth. The flat-top grind and the high positive hook angle (20°) reduce feed effort. The anti-kickback limits the thickness of chip, to offer a safer cut. Cooling slots in the body prevent excessive heat build up. Warning: Before use, read saw blade safety guidelines in *Amana's catalog*.

Item #	Manufacturer	Diameter	Bore	Grind	Kerf	Note	Pinholes	Plate	Teeth	Hook Angle	Price
RB1020	Amana Tool	10 in (250 mm)	5/8 in	FT	0.126 in			.087 in	20	18 deg	\$112.74
RB1020C	Amana Tool	10 in (250 mm)	5/8 in	FT	0.126 in			.087 in	20	18 deg	\$118.06
RB1020-30	Amana Tool	10 in (250 mm)	30 mm	FT	0.126 in	P.H. = pin-hole configuration. Example: 2/10/60 = 2 @ 10mm dia on 60mm circle.	2/7/42 & 2/10/60	.087 in	20	18 deg	\$
RB1224	Amana Tool	12 in (300 mm)	1 in	FT	0.126 in			.087 in	24	18 deg	\$113.56
RB1224-30	Amana Tool	12 in (300 mm)	30 mm	FT	0.126 in	P.H. = pin-hole configuration. Example: 2/10/60 = 2 @ 10mm dia on 60mm circle.	2/7/42 & 2/10/60	.087 in	24	18 deg	\$113.56
RB1428	Amana Tool	14 in (350 mm)	1 in	FT	0.126 in			.087 in	28	18 deg	\$113.56

RB1428-30	) Amana Tool	14 in (350 mm)	30 mm	n FT	0.126 in	P.H. = pin-hole configuration. Example: 2/10/60 = 2 @ 10mm dia on 60mm circle.	2/7/42 & 2/10/60	.087 in 28	18 deg	\$113.56
RB1628	Amana Tool	16 in (400 mm)	1 in	FT	0.137 in			.098 in 28	18 deg	\$