

Edge of Arlington Saw & Tool, Inc.

124 South Collins

Arlington, TX 76010

Phone: 817-461-7171 • Fax: 817-795-6651

Toll Free: 888-461-7171

Email: info@eoasaw.com

Website: www.eoasaw.com



Item #46098, Amana Tool Solid Carbide Medium Burr with 135° Drill Point Fiberglass and Composite Cutting 1/4 x 3/4 x 1/4 Shank Router Bit \$38.63

Thank you for shopping with us!

Amana Tool Solid Carbide Medium Burr with 135° Drill Point Fiberglass and Composite Cutting 1/4 x 3/4 x 1/4 Shank Router Bit incorporates reciprocating diamond-fluted geometry, strong negative rake angles, and generous fluting to provide the best cutting action in a wide variety of woven resin bond fiberglass and composite materials. Combining the proven performance of a diamond-cut geometry with the capacity to plunge, while leaving a minimum of top-side burr.

135° drillpoint minimizes part deflection on thin or otherwise unsupported workpieces.

Excellent for Cutting:

- Glass Reinforced Plastic (GRP)
- Phenolic
- Composite Materials
- Fiberglass
- Carbon Fiber
- Edging and Slotting All Carbon Fiber Reinforced Polymer - Plastic Materials (CFRP)
- Composite Materials
- Fiber Reinforced Plastic (FRP)
- G10 / FR-4 and G11 / FR-5 Glass Epoxy Composite Laminate Material
- Micarta® (Brand name for composites of linen, canvas, paper, fiberglass, carbon fiber or other fabric in a thermosetting plastic.)
- Thermoset Composites
- Thermosetting Plastics
- Fiberglass PCB Board

AlTiN coating has many benefits:

- Extra wear resistance
- Allows for faster feed and speed rates
- Cutting edge protected from wear
- Better chip evacuation
- Less heat buildup
- Superior cutting quality and extended tool life



SPECIFICATIONS

Manufacturer	Amana Tool
Diameter	1/4 in

SPECIFICATIONS

Cut Height, Length, or Width	3/4 in
Overall Length	2 in
Shank	1/4 in