Edge of Arlington Saw & Tool, Inc.

124 South Collins Arlington, TX 76010


Phone:817-461-7171 • Fax: 817-795-6651

Toll Free: 888-461-7171
Email: info@eoasaw.com
Website: www.eoasaw.com



Item #54221, Amana Tool Carbide Tipped Ogee Raised Panel with Back Cutter 7/8 Radius x 3-3/8 Dia x 1/2 Inch Shank \$158.81

Thank you for shopping with us! Amana Tool Carbide Tipped Ogee Raised Panel with Back Cutter 7/8 Radius x 3-3/8 Dia x 1/2 Inch Shank Raised panels fit standard panel grooves, even when the panel thickness exceeds 5/8". As the main cutter raises the front of the panel, the back cutter mills the back to produce a standard-thickness tongue around the panel. Each tool is supplied with two different guide bearings, enabling you to stage cuts on curved edges effectively and safely. All tools have 1/2" shanks. Must be used in a table-mounted 3+ horsepower router and run at reduced speed. Multiple passes recommended. Replacement bearing #47713 (8mm x 16mm) and #47763 (8mm x 1 1/4") Warning: Maximum RPM = 12,000 Profile Sample #54221



Note: Reveal ('A') reflects the total length of cut. Therefore, you must deduct 3/8" (usually) for allowing the panel to recess into the frame. Note: To receive ('A1') use bearing #47763.

SPECIFICATIONS	
Manufacturer	Amana Tool
Diameter	3 3/8 in
Cut Height, Length, or Width	1 1/16 in
Bearing(s)	47763, Amana Tool 5/16 ID x 1-1/4 OD x .196 Thick Steel Ball Bearing Guide 47713, Amana Tool Metric 8mm ID x 16mm OD x 5mm Thick Steel Ball Bearing Guide
Diameter (D1)	2 1/8 in
Flute	2 w/Bearing
Note	Reveal A reflects the total length of cut. Therefore, you must deduct 3/8 in (usually) to allow the panel to recess into the frame. To Receive \'A1,\' use bearing #47713. Bearing is included with tool.
Overall Length	3 1/16 in
Radius	7/8 in

SPECIFICATIONS	
Reveal	1 3/8 in (A)1 1/16\ (A1)
Shank	1/2 in
Туре	Ogee
Angle	N/A
RPM	Max 12,000