Edge of Arlington Saw & Tool, Inc.

124 South Collins Arlington, TX 76010

Phone:817-461-7171 • Fax: 817-795-6651

Toll Free: 888-461-7171 Email: <u>info@eoasaw.com</u> Website: www.eoasaw.com



Izveller for cutting
Patholic Arginic Acess
and Nylon Acrylic
Stone Actylorization
Bustadine Styrene
Corning Congress
Stone Actylorization
Bustadine Styrene
Corning Congress
Corning Congress
and Polypropylene
Crosslinked
Actylic Congress
and Polypropylene
Crosslinked
Actylic Congress
Actylic Co

Recommendation: Les de Investis singuiste la el miest singuiste feet artes and the shortest bis necessary for cutting and routing Local Control of the shortest bis necessary for cutting and routing Local Control of the shortest bis necessary for cutting and routing Local Control of the shortest bis necessary for cutting and the shortest control of the shortest control of the shortest control of the shortest well of the shortest will be shortest and the shortest coloring and control of the shortest coloring and colorion control of the shortest coloring professional colorion colori

Note: Blue based color dissipates immediately upon use. nACo® nanocomposite coating will not wear off.

Maximum RPM: 35,000

SPECIFICATIONS	
Manufacturer	Amana Tool
Diameter	1/4 in
Cut Height, Length, or Width	3/4 in
Flute Geometry	Upcut
Flute	1
Overall Length	2 in
Shank	1/4 in