


Edge of Arlington Saw & Tool, Inc.

124 South Collins
Arlington, TX 76010

Phone: 817-461-7171 • Fax: 817-795-6651
Toll Free: 888-461-7171
Email: info@eoasaw.com
Website: www.eoasaw.com



TOOLS



Item #DCD060080P05G, Diablo® Tools 6" Sanding Discs with StickFast™ (PSA) Backing - 5 Packs of 5

\$18.40

Thank you for shopping with us!

Premium ceramic grain blend is a superior quality formulation designed for fast material removal and long sanding life. StickFast™ backing, an industrial-grade Pressure Sensitive Adhesive (PSA) backing for a strong and secure bond. Clog-SHIELD™ is a proprietary blend of grinding agents that reduce pitch build-up and clogging. Diablo's premium orbital sanding (ROS) discs with StickFast™ backing offers breakthrough innovations that improve performance, extend sanding life, and increase productivity. Featuring a premium ceramic blend, these discs remove material faster than other sanding discs and offer an extra long sanding life.

Clog-SHIELD™, Diablo's own blend of grinding agents, reduces loading, thus maximizing productivity. The superior grain bonding system—ENDURA-BOND™—provides Diablo's sanding discs with longer life and extreme durability. Premium ceramic grain blend is a superior quality formulation designed for fast material removal and long sanding life. StickFast™ backing, an industrial-grade Pressure Sensitive Adhesive (PSA) backing for a strong and secure bond.

For orbital and DA sanders in wood, metal, and plastics.

Ideal for: Leveling and heavy stock or paint removal

Suggested Projects: Paint Refinishing, Deck Surface Prep and Reconditioning, Floor Refinishing, Wood Furniture Building and Refinishing, Project Construction



SPECIFICATIONS

Manufacturer	Diablo Tools
Application	Wood
Grit	80 (Coarse)
Grit Blend	Ceramic

SPECIFICATIONS

Size	6 in
Recommended For	Random orbital sanding (ROS) discs with StickFast backing & easy pull tab recommended for leveling & heavy stock or paint removal
Unit Price	\$3.68
Pack Quantity	Sold in 5 Packs of 5