Edge of Arlington Saw & Tool, Inc.

124 South Collins Arlington, TX 76010

Phone:817-461-7171 • Fax: 817-795-6651

Toll Free: 888-461-7171 Email: info@eoasaw.com Website: www.eoasaw.com





Thank you for shopping with us!

Dynamically balanced saw blades ensure saw blade stability for a clean cut. Used on panel saws with separate scoring units for chip-free cuts on both sides of the material. With conical type scoring blades, the kerf width changes with depth of penetration. Used in combination with our industrial saw blades '7' series only (#714721, etc). Also used in combination with the new Ditec™ series panel saw main blades. Kerf range should match the main blade. Note: Please specify if your application requires 22mm, 30mm, 45mm, etc, bore. Due to many different scoring machine sizes (particularly arbor sizes), it is advisable to measure both the scoring and main blades that are presently on your machine (diameter, bore, kerf, etc). Bushings & Stabilizers available Warning: Before use, read saw blade safety guidelines on pages 306-608 of Amana's catalog.

SPECIFICATIONS	
Manufacturer	Amana Tool
Bore	45 mm
Grind	Conical ATB Grind
Kerf	4.4 to 5.4 mm
Note	Note: Please specify if your application requires 22mm, 30mm, 45mm bore, etc. Due to many different scoring machine sizes (particularly arbor sizes), it is advisable to measure both the scoring and main blades that are presently on your machine (diameter, bore, kerf, etc).
Plate	3.2 mm
Teeth	36
Hook Angle	8 deg