

## Edge of Arlington Saw & Tool, Inc.

124 South Collins  
Arlington, TX 76010  
Phone: 817-461-7171 • Fax: 817-795-6651  
Toll Free: 888-461-7171  
Email: [info@eoasaw.com](mailto:info@eoasaw.com)  
Website: [www.eoasaw.com](http://www.eoasaw.com)



### Item #MD10-605, Amana A.G.E. Series Non-Ferrous for Thick Walled Aluminum Saw Blades: TCG Grind \$114.00


Thank you for shopping with us!

#### Superior-Finish cuts in aluminum & non-ferrous metals.



Designed specifically for cutting relatively thick walled (**greater than 1/4" thick**) aluminum. The special carbide formulation and blade geometry make these blades ideal for cutting aluminum and non-ferrous bars such as copper, brass, bronze, and lead. The negative hook angle, triple-chip grind, and thick steel plates combine to produce a superior finished cut. Use a coolant or blade wax and clamp down the workpiece when cutting non-ferrous metals. These blades can also be used to cut other "difficult" materials such as plastic, PVC tubing, and fiberglass.

MD10-605: One of Amana's most popular blades.


**Warning:** Never attempt to cut ferrous metals (steel, iron, etc) with these blades.



TC GRIND



NON-FERROUS ALLOYS

	<b>NON-FERROUS ALLOYS</b>	<b>EXCELLENT ✓</b>
	<b>THICK-WALLED PHENOLIC &amp; HARD PLASTIC</b>	<b>EXCELLENT ✓</b>
	<b>ALUMINUM</b>	<b>EXCELLENT ✓</b>
	<b>BRASS/COPPER</b>	<b>EXCELLENT ✓</b>



Good for cutting thick walled extrusions and profiles.

## SPECIFICATIONS

**Manufacturer**

Amana Tool

## SPECIFICATIONS

<b>Diameter</b>	10 in
<b>Bore</b>	5/8 in
<b>Hook Angle</b>	-6 deg
<b>Kerf</b>	0.126 in
<b>Note</b>	One of Amana's most popular blades.
<b>Plate</b>	0.098 in
<b>RPM</b>	7,600
<b>Teeth</b>	60